

Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A liquid crystal display device, comprising:
 - a pair of substrates;
 - a liquid crystal layer sandwiched between the pair of substrates, the liquid crystal layer including liquid crystal with negative dielectric anisotropy;
 - dot areas, each dot area having a reflective display area and at least two transmissive display areas;
 - an adjusting layer provided between the liquid crystal layer and at least one substrate of the pair of substrates, the adjusting layer making a thickness of the liquid crystal layer different in the reflective display area and the transmissive display areas and being provided at least in the reflective display area; ~~and~~
 - an alignment restrictor making the liquid crystal molecules in the transmissive display areas tilt, the tilting direction of the liquid crystal molecules being opposite to each other in the two transmissive display areas, the alignment restrictor making liquid crystal molecules of the liquid crystal layer tilt in the same direction in the reflective display ~~areas~~ areas;
 - a first transmissive display area and a second transmissive display area of the at least two transmissive display areas being adjacent to, and sandwiching, the reflective display area, the first transmissive display area having a first portion adjacent to a first side of the reflective display area, the second transmissive display area having a second portion adjacent to a second side of the reflective display area opposite to the first side of the reflective display area, and

the tilting direction of the liquid crystal molecules being opposite to each other in the first and second portions.

2. (Previously Presented) The liquid crystal display device according to Claim 1, the adjusting layer having a slope in the vicinity of a boundary between the reflective display area and the transmissive display areas;

an electrode that drives the liquid crystal being provided on each internal surface of the pair of substrates; and

the alignment restrictor having at least one of a slit opening and a projection formed in the electrode.

3. (Currently Amended) ~~The liquid crystal display device according to Claim 2,~~
A liquid crystal display device, comprising:

a pair of substrates;

a liquid crystal layer sandwiched between the pair of substrates, the liquid crystal layer including liquid crystal with negative dielectric anisotropy;

dot areas, each dot area having a reflective display area and at least two transmissive display areas;

an adjusting layer provided between the liquid crystal layer and at least one substrate of the pair of substrates, the adjusting layer making a thickness of the liquid crystal layer different in the reflective display area and the transmissive display areas and being provided at least in the reflective display area; and

an alignment restrictor making the liquid crystal molecules in the transmissive display areas tilt, the tilting direction of the liquid crystal molecules being opposite to each other in the two transmissive display areas, the alignment restrictor making liquid crystal molecules of the liquid crystal layer tilt in the same direction in the reflective display areas;

_____ the adjusting layer being provided between the liquid crystal layer and one substrate of the pair of substrates;

in a first transmissive display area of two transmissive display areas in each dot area, the substrate with the adjusting layer has an opening in the electrode on the slope of the adjusting layer, and the other substrate has an opening or a projection in the electrode in a substantially central portion of the first transmissive display area; and

in a second transmissive display area of the two transmissive display areas in each dot area, the substrate with the adjusting layer has an opening or a projection in the electrode in a substantially central portion of the second transmissive display area, and the other substrate has an opening or a projection in the electrode in a portion corresponding to a slope of the adjusting layer.

4. (Original) An electronic apparatus including the liquid crystal display device according to Claim 1.